

GSM Antennas Series

KLS1-GSM-01

Specification:

Frequency : 800/900/1800/1900 MHz


Gain : 1.5dBi

VSWR \leq 2.0:1

Impedance : 50 ohm

Standard Connector : SMA

Operating Temperature : -40°C to +80°C



ORDER INFORMATION

Product No. : KLS1-GSM-01-MS-28MM

Pos. NO.

Series NO.

Connector Type:

MS-SMA Male Straight Connector

MR-SMA Male Right Connector

FS-SMA Female Straight Connector

FR-SMA Female Right Connector

Length-28mm



GSM Antennas Series

KLS1-GSM-02

Specification:

Frequency : 800/900/1800/1900 MHz
 Gain : 2.15-3dBi
 VSWR ≤2.0:1
 Impedance : 50 ohm
 Standard Connector : SMA
 Operating Temperature : -40 C to +80 C



ORDER INFORMATION

Product No. : KLS1-GSM-02-MS-48MM

Pos. NO. _____
 Series NO. _____
 Connector Type:
 MS-SMA Male Straight Connector
 MR-SMA Male Right Connector
 FS-SMA Female Straight Connector
 FR-SMA Female Right Connector
 Length-48mm or 76mm,90mm

GSM Antennas Series

KLS1-GSM-04

Specification:

Frequency : 800/900/1800/1900MHz
Gain : 2.15-3dBi
VSWR \leq 2.0:1
Impedance : 50 ohm
Standard Connector : SMA
Operating Temperature : -40 C to +80 C



ORDER INFORMATION

Product No. : KLS1-GSM-04-SMA-F-3DBI-90MM

Pos. NO.

Series NO.

Connector Type:

SMA-F:SMA Female Connector

SMA-M:SMA male Connector

Normal Gain: 2.15dbi/3dbi

Antenna Length:2.15dbi:50mm/3dbi:90mm,105mm

GSM Antennas Series

KLS1-GSM-05

Specification:

Frequency : 800/900/1800/1900MHz

Gain : 3.5dBi

VSWR \leq 1.5:1

Impedance : 50 ohm

Standard Connector : SMA

Operating Temperature : -40 C to +80 C



ORDER INFORMATION

Product No. : KLS1-GSM-05-SMA-F-RG174-1000MM

Pos. NO.

Series NO.

Connector Type:SMA/SMB/SMC/BNC /FME
TNC/MCX /MMCX or other

F:Female Connector M:male Connector

Cable type:RG174, RG316, 1.13dia...etc

Cable Length-1000mm,3000,5000 or other

GSM Antennas Series

KLS1-GSM-06

Specification:

Frequency : 800/900/1800/1900MHz

Gain : 3.0dBi

VSWR \leq 1.5:1

Impedance : 50 ohm

Standard Connector : SMA

Operating Temperature : -40 C to +80 C



ORDER INFORMATION

Product No. : KLS1-GSM-06-SMA-F-RG174-1000MM-90MM

Pos. NO.

Series NO.

Connector Type: SMA,BNC,FAKRA
FME or other

F:Female Connector M:male Connector

Cable type:RG174, RG316, 1.13dia...etc,
Cable Length-1000mm,3000,5000 or other

Antenna Length-90mm,105mm



GSM Antennas Series

KLS1-GSM-07

Specification:

Frequency : 800/900/1800/1900MHz
Gain : 3.0dBi
VSWR \leq 1.5:1
Impedance : 50 ohm
Standard Connector : SMA
Operating Temperature : -40 C to +80 C



ORDER INFORMATION

Product No. : KLS1-GSM-07-SMA-F-RG174-1000MM

