





281810-2

PARTI NON QUOTATE IN COMUNE CON 281810-1 (PARTS WITHOUT DIM. ARE COMMON WITH 281810-1)

Ø CAVITY

3.2

1.25

4.0

2.0 REF.

NERO (BLACK)	PA.CARIC. (G.F. PA 66)	281810-2
NERO (BLACK)	PA.CARIC. (G.F. PA 66)	281810-1
FINITURA / COLORE (FINISH / COLOUR)	MATERIALE (MATERIAL)	NUMERO (PART NUMBER)

CUSTOMER DWG. FOR REFERENCE ONLY **DISEGNO PER CLIENTE SOLO PER RIFERIMENTO**

THIS DRAWING IS UNPUBLISHED

BY AMP INCORPORATED, HARRISBURG, PA ALL INTERNATIONAL RIGHT RESERVED AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENT AND/OR PATENT PENDING

TOLLERANZE: SE NON DIVERSAMENTE SPECIFICATO (TOLERANCES UNLESS OTHERWISE SPECIFIED)

± 0.3

ANGOLI (ANGLES) ± 2°

DISEGNO (DR) 17 LUGLIO 1986

CONT. (CHK) AR

APP. (APP.)

LOC. SIZE NUMERO (DWG NO) REV. FOLIO (SHEET) DI

1 A3 C- 281810 D 1 OF 2

AMP ITALIA S.p.A. Corso F.lli Cervi, 16 COLLEGNO (TORINO)

DESCRIZIONE (DESCRIPTION) 25 POS. SPLASH PROOF CONN. FOR JUNIOR TIMER C. 90° VERSION

SCALA NON IMPEGNATIVA
(DO NOT SCALE)
DIMENSIONI IN mm
DIMENSIONS IN

METRIC

PROIEZIONE EUROPEA
(EUROPEAN PROJECTION)

SEZIONE A-A
(SECTION A-A)

SEZIONE B-B
(SECTION B-B)

PROFILO OPZIONALE
(OPTIONAL PROF.)

DETTAGLIO
SCALA 10:1

(AMP CONNECTOR)
CONNETTORE AMP
N° 827050

DIMENSIONI CONTROPARTE
(COUNTERPART DIMENSIONS)

FINITURA / COLORE
(FINISH / COLOUR)

MATERIALE
(MATERIAL)

NUMERO
(PART NUMBER)

CUSTOMER DWG.
FOR REFERENCE ONLY

DISEGNO PER CLIENTE
SOLO PER RIFERIMENTO

THIS DRAWING IS UNPUBLISHED

RELEASE FOR PUBLICATION

19

© COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA ALL INTERNATIONAL RIGHT
RESERVED AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENT AND/OR PATENT PENDING

TOLLERANZE: SE NON
DIVERSAMENTE SPECIFICATO
(TOLERANCES UNLESS OTHERWISE
SPECIFIED)

DIAM. ISOLANTE
(INS. DIA. RANGE)

RANGO FILO
(WIRE RANGE)

SCALA
(SCALE)

± 0,3

ANGOLI
(ANGLES) ± 2°

DIS.
(DR.)

CONT.
(CHK)

APP.
(APP.)

DESCRIZIONE
(DESCRIPTION)

LOC.

SIZE

NUMERO
(DWG NO)

REV.

FOGLIO
(SHEET)

DI
(OF)

AMP AMP ITALIA S.p.A.
Corso F.lli Cervi, 15
COLLEGNO (TORINO)

25 POS. SPLASH PROOF
CONN. FOR JUNIOR TIMERC. 90° VERSION

IA3 C-281810

D 2

SEE SHEET 1

3 8,25 ± 0,15 era 8,25 ± 0,1

REVISIONI
(REVISION RECORD)

DIS. DATA
(DR) (DATE)

DISTRIBUZIONE
(PRINT DIST.)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[281810-1](#)